

LCBRU Publications, April 2013-March 2014

Cardiovascular Genetics and Biomarkers

1. Albrecht E, Sillanpaa E, Karrasch S, Alves AC, Codd V, Hovatta I, et al. Telomere length in circulating leukocytes is associated with lung function and disease. *Eur Resp J*. 2014;43:983-92.
2. Berndt SI, Gustafsson S, Magi R, Ganna A, Wheeler E, Feitosa MF, et al. Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. *Nat Genet*. 2013;45:501-12.
3. Bhandari SS, Davies JE, Struck J, Ng LL. Plasma C-terminal proEndothelin-1 (CTproET-1) is affected by age, renal function, left atrial size and diastolic blood pressure in healthy subjects. *Peptides*. 2014;52:53-7.
4. Bloomer LD, Nelson CP, Denniff M, Christofidou P, Debiec R, Thompson J, et al. Coronary artery disease predisposing haplogroup I of the Y chromosome, aggression and sex steroids--genetic association analysis. *Atherosclerosis*. 2014;233:160-4.
5. Bloomer LD, Nelson CP, Eales J, Denniff M, Christofidou P, Debiec R, et al. Male-specific region of the Y chromosome and cardiovascular risk: phylogenetic analysis and gene expression studies. *Arterioscl Throm Vas*. 2013;33:1722-7.
6. Bradley DT, Hughes AE, Badger SA, Jones GT, Harrison SC, Wright BJ, et al. A variant in LDLR is associated with abdominal aortic aneurysm. *Circ Cardiovas Genet*. 2013;6:498-504.
7. Burton JO, Hamali HA, Singh R, Abbasian N, Parsons R, Patel AK, et al. Elevated levels of procoagulant plasma microvesicles in dialysis patients. *PloS One*. 2013;8:e72663.
8. Daly CE, Ng LL, Hakimi A, Willingale R, Jones DJ. Qualitative and quantitative characterization of plasma proteins when incorporating traveling wave ion mobility into a liquid chromatography-mass spectrometry workflow for biomarker discovery: use of product ion quantitation as an alternative data analysis tool for label free quantitation. *Anal Chem*. 2014;86:1972-9.
9. Dastani Z, Johnson T, Kronenberg F, Nelson CP, Assimes TL, Marz W, et al. The shared allelic architecture of adiponectin levels and coronary artery disease. *Atherosclerosis*. 2013;229:145-8.
10. den Hoed M, Eijgelsheim M, Esko T, Brundel BJ, Peal DS, Evans DM, et al. Identification of heart rate-associated loci and their effects on cardiac conduction and rhythm disorders. *Nat Genet*. 2013;45:621-31.
11. Denham J, Nelson CP, O'Brien BJ, Nankervis SA, Denniff M, Harvey JT, et al. Longer leukocyte telomeres are associated with ultra-endurance exercise independent of cardiovascular risk factors. *PloS One*. 2013;8:e69377.
12. Devaux Y, McCann GP, Wagner DR, Squire IB. Prognostic microRNAs after AMI. *Circ Res*. 2013;113:e46-7.
13. Devaux Y, Vausort M, McCann GP, Kelly D, Collignon O, Ng LL, et al. A panel of 4 microRNAs facilitates the prediction of left ventricular contractility after acute myocardial infarction. *PloS One*. 2013;8:e70644.
14. Devaux Y, Vausort M, McCann GP, Zangrando J, Kelly D, Razvi N, et al. MicroRNA-150: a novel marker of left ventricular remodeling after acute myocardial infarction. *Circ Cardiovasc Genet*. 2013;6:290-8.
15. Dichgans M, Malik R, Konig IR, Rosand J, Clarke R, Gretarsdottir S, et al. Shared genetic susceptibility to ischemic stroke and coronary artery disease: a genome-wide analysis of common variants. *Stroke*. 2014;45:24-36.
16. Dick KJ, Nelson CP, Tsaprouni L, Sandling JK, Aissi D, Wahl S, et al. DNA methylation and body-mass index: a genome-wide analysis. *Lancet*. 2014.DOI: 10.1016/S0140-6736(13)62674-4.
17. Do R, Willer CJ, Schmidt EM, Sengupta S, Gao C, Peloso GM, et al. Common variants associated with plasma triglycerides and risk for coronary artery disease. *Nat Genet*. 2013;45:1345-52.
18. Erdmann J, Stark K, Esslinger UB, Rumpf PM, Koesling D, de Wit C, et al. Dysfunctional nitric oxide signalling increases risk of myocardial infarction. *Nature*. 2013;504:432-6.
19. Erridge C, Gracey J, Braund PS, Samani NJ. The 9p21 locus does not affect risk of coronary artery disease through induction of type 1 interferons. *J Am Coll Cardiol*. 2013;62:1376-81.

20. Everett TR, Garner SF, Lees C, Goodall AH. Immature platelet fraction analysis demonstrates a difference in thrombopoiesis between normotensive and preeclamptic pregnancies. *Thromb Haemostasis*. 2014;111(6).
21. Everett TR, Wilkinson IB, Mahendru AA, McEniery CM, Garner SF, Goodall AH, et al. S-nitrosoglutathione improves haemodynamics in early-onset pre-eclampsia. *Brit J Clin Pharmacol*. 2014. DOI: 10.1111/bcp.12379.
22. Fall T, Hagg S, Magi R, Ploner A, Fischer K, Horikoshi M, et al. The role of adiposity in cardiometabolic traits: a Mendelian randomization analysis. *PLoS Med*. 2013;10:e1001474.
23. Global Lipids Genetics C, Willer CJ, Schmidt EM, Sengupta S, Peloso GM, Gustafsson S, et al. Discovery and refinement of loci associated with lipid levels. *Nat Genet*. 2013;45:1274-83.
24. Good RI, McGarrity A, Sheehan R, James TE, Miller H, Stephens J, et al. Variation in thromboxane B2 concentrations in serum and plasma in patients taking regular aspirin before and after clopidogrel therapy. *Platelets*. 2014. DOI: 10.3109/09537104.2013.870334.
25. Hakimi A, Auluck J, Jones GD, Ng LL, Jones DJ. Assessment of reproducibility in depletion and enrichment workflows for plasma proteomics using label-free quantitative data-independent LC-MS. *Proteomics*. 2014;14:4-13.
26. Holmes MV, Asselbergs FW, Palmer TM, Drenos F, Lanktree MB, Nelson CP, et al. Mendelian randomization of blood lipids for coronary heart disease. *Eur Heart J*. 2014. DOI: 10.1093/eurheartj/eh571.
27. Holmes MV, Simon T, Exeter HJ, Folkersen L, Asselbergs FW, Guardiola M, et al. Secretory phospholipase A(2)-IIA and cardiovascular disease: a mendelian randomization study. *J Am Coll Cardiol*. 2013;62:1966-76.
28. Huang J, Huffman JE, Yamkauchi M, Trompet S, Asselbergs FW, Sabater-Lleal M, et al. Genome-Wide Association Study for Circulating Tissue Plasminogen Activator Levels and Functional Follow-Up Implicates Endothelial STXBP5 and STX2. *Arterioscl Throm Vasc*. 2014. DOI: 10.1161/ATVBAHA.113.302088.
29. Huertas-Vazquez A, Nelson CP, Guo X, Reinier K, Uy-Evanado A, Teodorescu C, et al. Novel loci associated with increased risk of sudden cardiac death in the context of coronary artery disease. *PloS One*. 2013;8:e59905.
30. Huzen J, Wong LS, van Veldhuisen DJ, Samani NJ, Zwinderman AH, Codd V, et al. Telomere length loss due to smoking and metabolic traits. *J Intern Med*. 2014;275:155-63.
31. Jones GT, Bown MJ, Gretarsdottir S, Romaine SP, Helgadottir A, Yu G, et al. A sequence variant associated with sortilin-1 (SORT1) on 1p13.3 is independently associated with abdominal aortic aneurysm. *Hum Mol Genet*. 2013;22:2941-7.
32. Jutla SK, Yuyun MF, Quinn PA, Ng LL. Plasma cortisol and prognosis of patients with acute myocardial infarction. *J Cardiovasc Med*. 2014;15:33-41.
33. Kaess BM, Jozwiak J, Nelson CP, Lukas W, Mastey M, Windak A, et al. The relation of rapid changes in obesity measures to lipid profile - insights from a nationwide metabolic health survey in 444 Polish cities. *PloS One*. 2014;9:e86837.
34. Ladwig KH, Brockhaus AC, Baumert J, Lukaschek K, Emeny RT, Kruse J, et al. Posttraumatic stress disorder and not depression is associated with shorter leukocyte telomere length: findings from 3,000 participants in the population-based KORA F4 study. *PloS One*. 2013;8:e64762.
35. Manhenke C, Orn S, von Haehling S, Wollert KC, Ueland T, Aukrust P, et al. Clustering of 37 circulating biomarkers by exploratory factor analysis in patients following complicated acute myocardial infarction. *Int J Cardiol*. 2013;166:729-35.
36. Marques FZ, Tomaszewski M, Charchar FJ. Genetic mechanisms of vascular and renal damage. *J Hypertens*. 2013;31:2128-9.
37. Poolman T, Quinn P, Ng L. Protein Kinase C Epsilon Contributes to NADPH Oxidase Activation in a Pre-Eclampsia Lymphoblast Cell Model. *Diseases*. 2013;1:1-17.
38. Randall JC, Winkler TW, Kutalik Z, Berndt SI, Jackson AU, Monda KL, et al. Sex-stratified genome-wide association studies including 270,000 individuals show sexual dimorphism in genetic loci for anthropometric traits. *PLoS Genet*. 2013;9:e1003500.
39. Rocanin-Arjo A, Cohen W, Carcaillon L, Frere C, Saut N, Letenneur L, et al. A meta-analysis of genome-wide association studies identifies ORM1 as a novel gene controlling thrombin generation potential. *Blood*. 2014;123:777-85.
40. Sabater-Lleal M, Huang J, Chasman D, Naitza S, Dehghan A, Johnson AD, et al. Multiethnic meta-analysis of genome-wide association studies in >100 000 subjects identifies 23 fibrinogen-associated Loci but no strong evidence of a causal association between circulating fibrinogen and cardiovascular disease. *Circulation*. 2013;128:1310-24.

41. Saratzis A, Bown M, Wild B, Sayers RD, Nightingale P, Smith J, et al. C-reactive protein polymorphism rs3091244 is associated with abdominal aortic aneurysm. *J Vasc Surg*. 2013. DOI: 10.1016/j.jvs.2013.07.105.
42. Sidloff DA, Stather PW, Choke E, Bown MJ, Sayers RD. A systematic review and meta-analysis of the association between markers of hemostasis and abdominal aortic aneurysm presence and size. *J Vasc Surg*. 2014;59:528-35.
43. Stather PW, Sylvius N, Wild JB, Choke E, Sayers RD, Bown MJ. Differential microRNA expression profiles in peripheral arterial disease. *Circ Cardiovasc Genet*. 2013;6:490-7.
44. Stephens SH, Hartz SM, Hoft NR, Saccone NL, Corley RC, Hewitt JK, et al. Distinct loci in the CHRNA5/CHRNA3/CHRNA4 gene cluster are associated with onset of regular smoking. *Genet Epidemiol*. 2013;37:846-59.
45. Stitzel NO, Fouchier SW, Sjouke B, Peloso GM, Moscoso AM, Auer PL, et al. Exome sequencing and directed clinical phenotyping diagnose cholesterol ester storage disease presenting as autosomal recessive hypercholesterolemia. *Arterioscl Throm Vasc*. 2013;33:2909-14.
46. Tragante V, Barnes MR, Ganesh SK, Lanktree MB, Guo W, Franceschini N, et al. Gene-centric Meta-analysis in 87,736 Individuals of European Ancestry Identifies Multiple Blood-Pressure-Related Loci. *Am J Hum Genet*. 2014;94:349-60.
47. van Meurs JB, Pare G, Schwartz SM, Hazra A, Tanaka T, Vermeulen SH, et al. Common genetic loci influencing plasma homocysteine concentrations and their effect on risk of coronary artery disease. *Am J Clin Nutr*. 2013;98:668-76.
48. Yoneyama S, Guo Y, Lanktree MB, Barnes MR, Elbers CC, Karczewski KJ, et al. Gene-centric meta-analyses for central adiposity traits in up to 57 412 individuals of European descent confirm known loci and reveal several novel associations. *Hum Mol Genet*. 2014. DOI: 10.1093/hmg/ddt626.

Novel Cardiovascular Interventions

49. Anderson CS, Heeley E, Huang Y, Wang J, Stapf C, Delcourt C, et al. Rapid blood-pressure lowering in patients with acute intracerebral hemorrhage. *New Engl J Med*. 2013;368:2355-65.
50. Chambers JB, Shah BN, Prendergast B, Lawford PV, McCann GP, Newby DE, et al. Valvular heart disease: a call for global collaborative research initiatives. *Heart*. 2013;99:1797-9.
51. Chen G, Arima H, Wu G, Heeley E, Delcourt C, Zhang P, et al. Subarachnoid extension of intracerebral hemorrhage and 90-day outcomes in INTERACT2. *Stroke*. 2014;45:258-60.
52. Collaborators R, Bown MJ, Sweeting MJ, Brown LC, Powell JT, Thompson SG. Surveillance intervals for small abdominal aortic aneurysms: a meta-analysis. *JAMA*. 2013;309:806-13.
53. Fairbairn TA, Steadman CD, Mather AN, Motwani M, Blackman DJ, Plein S, et al. Assessment of valve haemodynamics, reverse ventricular remodelling and myocardial fibrosis following transcatheter aortic valve implantation compared to surgical aortic valve replacement: a cardiovascular magnetic resonance study. *Heart*. 2013;99:1185-91.
54. Gershlick AH, Banning AP, Myat A, Verheugt FWA, Gersh BJ. Reperfusion therapy for STEMI: is there still a role for thrombolysis in the era of primary percutaneous coronary intervention? *Lancet*. 2013;382:624-32.
55. Hague JP, Banahan C, Chung EM. Modelling of impaired cerebral blood flow due to gaseous emboli. *Phys Med Biol*. 2013;58:4381-94.
56. Horsfield MA, Jara JL, Saeed NP, Panerai RB, Robinson TG. Regional differences in dynamic cerebral autoregulation in the healthy brain assessed by magnetic resonance imaging. *PLoS One*. 2013;8:e62588.
57. Jabbar A, Khan JN, Singh A, McCann GP. 'A one-sided affair': unilateral pulmonary oedema and the role of cardiac MRI in diagnosing premature coronary artery disease in a patient with Prader-Willi syndrome. *BMJ Case Rep*. DOI: 10.1136/bcr-2013-008692.
58. Jolly SS, Cairns J, Yusuf S, Meeks B, Shestakovska O, Thabane L, et al. Design and rationale of the TOTAL trial: A randomized trial of routine aspiration Thrombectomy with percutaneous coronary intervention (PCI) versus PCI Alone in patients with ST-elevation myocardial infarction undergoing primary PCI. *Am Heart J*. 2014;167:315-21.
59. Kanber B, Hartshorne TC, Horsfield MA, Naylor AR, Robinson TG, Ramnarine KV. Dynamic variations in the ultrasound greyscale median of carotid artery plaques. *Cardiovasc Ultrasound*. 2013;11:21.

60. Kanber B, Hartshorne TC, Horsfield MA, Naylor AR, Robinson TG, Ramnarine KV. Quantitative assessment of carotid plaque surface irregularities and correlation to cerebrovascular symptoms. *Cardiovasc Ultrasound*. 2013;11:38.
61. Kanber B, Hartshorne TC, Horsfield MA, Naylor AR, Robinson TG, Ramnarine KV. Wall motion in the stenotic carotid artery: association with greyscale plaque characteristics, the degree of stenosis and cerebrovascular symptoms. *Cardiovasc Ultrasound*. 2013;11:37.
62. Kelly DJ, McCann GP, Blackman D, Curzen NP, Dalby M, Greenwood JP, et al. Complete Versus culprit-Lesion only PRimary PCI Trial (CVLPRIT): a multicentre trial testing management strategies when multivessel disease is detected at the time of primary PCI: rationale and design. *EuroIntervention*. 2013;8:1190-8.
63. Maggio P, Salinet AS, Panerai RB, Robinson TG. Does hypercapnia-induced impairment of cerebral autoregulation affect neurovascular coupling? A functional TCD study. *J Appl Physiol*. 2013;115:491-7.
64. Maggio P, Salinet ASM, Robinson TG, Panerai RB. Influence of CO₂ on neurovascular coupling: interaction with dynamic cerebral autoregulation and cerebrovascular reactivity. *Physiol Rep*. 2014;2(3).
65. Manning L, Hirakawa Y, Arima H, Wang X, Chalmers J, Wang J, et al. Blood pressure variability and outcome after acute intracerebral haemorrhage: a post-hoc analysis of INTERACT2, a randomised controlled trial. *Lancet Neurol*. 2014;13:364-73.
66. Miller CA, Naish JH, Ainslie MP, Tonge C, Tout D, Arumugam P, et al. Voxel-wise quantification of myocardial blood flow with cardiovascular magnetic resonance: effect of variations in methodology and validation with positron emission tomography. *J Cardiovasc Magn Reson*. 2014;16:11.
67. Miller CA, Sarma J, Naish JH, Yonan N, Williams SG, Shaw SM, et al. Multiparametric cardiovascular magnetic resonance assessment of cardiac allograft vasculopathy. *J Am Coll Cardiol*. 2014;63:799-808.
68. Ng GA. Vagal modulation of cardiac ventricular arrhythmia. *Exp Physiol*. 2014;99:295-9.
69. Ng LL, Sandhu JK, Narayan H, Quinn PA, Squire IB, Davies JE, et al. Proenkephalin and prognosis after acute myocardial infarction. *J Am Coll Cardiol*. 2014;63:280-9.
70. Nicolson WB, Smith MI, Chu G, Brown PB, Sandilands AJ, Stafford PJ, et al. Body surface restitution gradient predicts sudden cardiac death risk in a clinical study. *J Electrocardiol*. 2013;46:e2.
71. Poppe KK, Squire IB, Whalley GA, Kober L, McAlister FA, McMurray JJ, et al. Known and missing left ventricular ejection fraction and survival in patients with heart failure: a MAGGIC meta-analysis report. *Eur J Heart Fail*. 2013;15:1220-7.
72. Ramnarine KV, Garrard JW, Dexter K, Nduwayo S, Panerai RB, Robinson TG. Shear wave elastography assessment of carotid plaque stiffness: in vitro reproducibility study. *Ultrasound Med Biol*. 2014;40:200-9.
73. Salinet AS, Robinson TG, Panerai RB. Active, passive, and motor imagery paradigms: component analysis to assess neurovascular coupling. *J Appl Physiol*. 2013;114:1406-12.
74. Salinet AS, Robinson TG, Panerai RB. Cerebral blood flow response to neural activation after acute ischemic stroke: a failure of myogenic regulation? *J Neurol*. 2013;260:2588-95.
75. Salinet JL, Jr., Madeiro JP, Cortez PC, Stafford PJ, Andre Ng G, Schlindwein FS. Analysis of QRS-T subtraction in unipolar atrial fibrillation electrograms. *Med Biol Eng Comput*. 2013;51:1381-91.
76. Salinet JL, Tuan JH, Sandilands AJ, Stafford PJ, Schlindwein FS, André Ng G. Distinctive Patterns of Dominant Frequency Trajectory Behavior in Drug-Refractory Persistent Atrial Fibrillation. *J Cardiovasc Electrophysiol*. 2013. DOI: 10.1111/jce.12331.
77. Salinet Jr JL, Oliveira GN, Jos Vanheusden F, Comba JLD, Ng GA, Schlindwein FS. Visualizing Intracardiac Atrial Fibrillation Electrograms Using Spectral Analysis. *Comput Sci Eng*. 2013;15:79-87.
78. Sandford RM, Choke E, Bown MJ, Sayers RD. What is the best option for elective repair of an abdominal aortic aneurysm in a young fit patient? *Eur J Vasc Endovasc*. 2014;47:13-8.
79. Schulz S, Richardt G, Laugwitz KL, Mehran R, Gershlick AH, Morath T, et al. Comparison of Prasugrel and Bivalirudin vs Clopidogrel and Heparin in Patients With ST-Segment Elevation Myocardial Infarction: Design and Rationale of the Bavarian Reperfusion Alternatives Evaluation (BRAVE) 4 Trial. *Clin Cardiol*. 2014. DOI: 10.1002/clc.22268.
80. Sidloff DA, Stather PW, Choke E, Bown MJ, Sayers RD. Type II endoleak after endovascular aneurysm repair. *Brit J Surg*. 2013;100:1262-70.

81. Singh A, Ford I, Greenwood JP, Khan JN, Uddin A, Berry C, et al. Rationale and design of the PRognostic Importance of Microvascular Dysfunction in asymptomatic patients with Aortic Stenosis (PRIMID-AS): a multicentre observational study with blinded investigations. **BMJ Open**. 2013;3:e004348.
82. Stather PW, Sidloff DA, Rhema IA, Choke E, Bown MJ, Sayers RD. A review of current reporting of abdominal aortic aneurysm mortality and prevalence in the literature. **Eur J Vasc Endovasc**. 2014;47:240-2.
83. Tuan J, Ng GA. Ablation of right ventricular outflow tract tachycardia using a novel multipolar irrigated ablation catheter (nMARQ). **Heart Rhythm**. 2014;11:502-5.
84. Wilmot EG, Leggate M, Khan JN, Yates T, Gorely T, Bodicoat DH, et al. Type 2 diabetes mellitus and obesity in young adults: the extreme phenotype with early cardiovascular dysfunction. **Diabetic Med**. 2014. DOI: 10.1111/dme.12431
85. Yuyun MF, Stafford PJ, Sandilands AJ, Samani NJ, Andre Ng G. The impact of power output during percutaneous catheter radiofrequency ablation for atrial fibrillation on efficacy and safety outcomes: a systematic review. **J Cardiovasc Electrophysiol**. 2013;24:1216-23.
86. Zachariah D, Brown R, Kanagala P, Bashir A, Mohan M, Callan P, et al. The impact of age and chronic kidney disease on secondary prevention post-primary percutaneous coronary intervention. **QJM**. 2014;107:185-92.