

Leicester Cardiovascular BRU Publications, April 2012-March 2013

Cardiovascular Genetics and Biomarkers

1. Almlöf JC, Lundmark P, Lundmark A, Ge B, Maouche S, Goring HH, et al. Powerful Identification of Cis-regulatory SNPs in Human Primary Monocytes Using Allele-Specific Gene Expression. *PLoS One*. 2012;7:e52260.
2. Asselbergs FW, Guo Y, van Iperen EP, Sivapalaratnam S, Tragante V, Lanktree MB, et al. Large-Scale Gene-Centric Meta-analysis across 32 Studies Identifies Multiple Lipid Loci. *Am J Hum Genet*. 2012;91:823-38.
3. Bhandari SS, Davies JE, Struck J, Ng LL. The diagnostic performance of mid-regional portion of pro-atrial natriuretic peptide for the detection of left ventricular hypertrophy in Caucasian hypertensive patients. *J Hum Hypertens*. 2012;26:711-5.
4. Bloomer LD, Bown MJ, Tomaszewski M. Sexual dimorphism of abdominal aortic aneurysms: a striking example of "male disadvantage" in cardiovascular disease. *Atherosclerosis*. 2012;225:22-8.
5. Chan K, Patel RS, Newcombe P, Nelson CP, Qasim A, Epstein SE, et al. Association between the chromosome 9p21 locus and angiographic coronary artery disease burden: a collaborative meta-analysis. *J Am Coll Card*. 2013;61:957-70.
6. Codd V, Nelson CP, Albrecht E, Mangino M, Deelen J, Buxton JL, et al. Identification of seven loci affecting mean telomere length and their association with disease. *Nat Genet*. 2013;45:422-7.
7. Davies RW, Wells GA, Stewart AF, Erdmann J, Shah SH, Ferguson JF, et al. A genome-wide association study for coronary artery disease identifies a novel susceptibility locus in the major histocompatibility complex. *Circ Cardiovasc Genet*. 2012;5:217-25.
8. Deloukas P, Kanoni S, Willenborg C, Farrall M, Assimes TL, Thompson JR, et al. Large-scale association analysis identifies new risk loci for coronary artery disease. *Nat Genet*. 2013;45:25-33.
9. Devaux Y, Vausort M, Azuaje F, Vaillant M, Lair ML, Gayat E, et al. Low levels of vascular endothelial growth factor B predict left ventricular remodeling after acute myocardial infarction. *J Card Fail*. 2012;18:330-7.
10. Dhillon OS, Narayan HK, Khan SQ, Kelly D, Quinn PA, Squire IB, et al. Pre-discharge risk stratification in unselected STEMI: Is there a role for ST2 or its natural ligand IL-33 when compared with contemporary risk markers? *Int J Cardiol*. 2012. doi: 10.1016/j.ijcard.2012.05.073.
11. Ganesh SK, Tragante V, Guo W, Guo Y, Lanktree MB, Smith EN, et al. Loci influencing blood pressure identified using a cardiovascular gene-centric array. *Hum Mol Genet*. 2013;22:1663-78.
12. Garnier S, Truong V, Brocheton J, Zeller T, Rovital M, Wild PS, et al. Genome-wide haplotype analysis of cis expression quantitative trait Loci in monocytes. *PLoS Genet*. 2013;9:e1003240.
13. Gaunt TR, Shah S, Nelson CP, Drenos F, Braund PS, Adeniran I, et al. Integration of genetics into a systems model of electrocardiographic traits using HumanCVD BeadChip. *Circ Cardiovasc Genet*. 2012;5:630-8.
14. Gertow K, Sennblad B, Strawbridge RJ, Ohrvik J, Zabaneh D, Shah S, et al. Identification of the BCAR1-CFDP1-TMEM170A locus as a determinant of carotid intima-media thickness and coronary artery disease risk. *Circ Cardiovasc Genet*. 2012;5:656-65.
15. Gholap NN, Mehta RL, Ng L, Davies MJ, Khunti K, Squire IB. Is admission blood glucose concentration a more powerful predictor of mortality after myocardial infarction than diabetes diagnosis? A retrospective cohort study. *BMJ Open*. 2012;2. e001596.doi:10.1136/bmjopen-2012-001596.
16. Greliche N, Zeller T, Wild PS, Rotival M, Schillert A, Ziegler A, et al. Comprehensive Exploration of the Effects of miRNA SNPs on Monocyte Gene Expression. *PLoS One*. 2012;7(9):e45863.
17. Harrison SC, Smith AJ, Jones GT, Swerdlow DI, Rampuri R, Bown MJ, et al. Interleukin-6 receptor pathways in abdominal aortic aneurysm. *Eur Heart J*. 2012.doi: 10.1093/eurheartj/ehs354.
18. Harrison SC, Zabaneh D, Asselbergs FW, Drenos F, Jones GT, Shah S, et al. A gene-centric study of common carotid artery remodelling. *Atherosclerosis*. 2013;226:440-6.

19. Helgadottir A, Gretarsdottir S, Thorleifsson G, Holm H, Patel RS, Gudnason T, et al. Apolipoprotein(a) Genetic Sequence Variants Associated With Systemic Atherosclerosis and Coronary Atherosclerotic Burden But Not With Venous Thromboembolism. *J Am Coll Card.* 2012;60:722-9.
20. Huan T, Zhang B, Wang Z, Joehanes R, Zhu J, Johnson AD, et al. A Systems Biology Framework Identifies Molecular Underpinnings of Coronary Heart Disease. *Arterioscl Throm Vas Biol.* 2013. doi: 10.1161/atvbaha.112.300112.
21. Huang J, Sabater-Lleal M, Asselbergs FW, Tregouet D, Shin SY, Ding J, et al. Genome-wide association study for circulating levels of PAI-1 provides novel insights into its regulation. *Blood.* 2012;120:4873-81.
22. Hughes MF, Saarela O, Stritzke J, Kee F, Silander K, Klopp N, et al. Genetic Markers Enhance Coronary Risk Prediction in Men: The MORGAM Prospective Cohorts. *PLoS One.* 2012;7:e40922.
23. Hunt BD, Ng LL, Lambert DG. In vitro siRNA-mediated knockdown of the UT receptor: implications of density on the efficacy of a range of UT ligands. *Naunyn Schmiedebergs Arch Pharmacol.* 2012;385:651-6.
24. Jani PP, Narayan H, Ng LL. The differential extraction and immunoluminometric assay of Urotensin II and Urotensin-related peptide in heart failure. *Peptides.* 2013;40:72-6.
25. Jones GT, Bown MJ, Gretarsdottir S, Romaine SP, Helgadottir A, Yu G, et al. A sequence variant associated with Sortilin-1 (SORT1) on 1p13.3 is independently associated with Abdominal Aortic Aneurysm. *Hum Mol Genet.* 2013. doi: 10.1093/hmg/ddt141.
26. Kottgen A, Albrecht E, Teumer A, Vitart V, Krumsiek J, Hundertmark C, et al. Genome-wide association analyses identify 18 new loci associated with serum urate concentrations. *Nat Genet.* 2013;45:145-54.
27. Lieb W, Jansen H, Loley C, Pencina MJ, Nelson CP, Newton-Cheh C, et al. Genetic predisposition to higher blood pressure increases coronary artery disease risk. *Hypertension.* 2013;61:995-1001.
28. Lu X, Wang L, Chen S, He L, Yang X, Shi Y, et al. Genome-wide association study in Han Chinese identifies four new susceptibility loci for coronary artery disease. *Nat Genet.* 2012;44:890-4.
29. Lucas G, Lluís-Ganella C, Subirana I, Musameh MD, Gonzalez JR, Nelson CP, et al. Hypothesis-Based Analysis of Gene-Gene Interactions and Risk of Myocardial Infarction. *PLoS One.* 2012;7:e41730.
30. Maller JB, McVean G, Byrnes J, Vukcevic D, Palin K, Su Z, et al. Bayesian refinement of association signals for 14 loci in 3 common diseases. *Nat Genet.* 2012;44:1294-301.
31. Ng LL, Sandhu JK, Squire IB, Davies JE, Jones DJ. Vitamin D and prognosis in acute myocardial infarction. *Int J Card.* 2013. doi: 10.1016/j.ijcard.2013.01.030.
32. Rahbi H, Narayan H, Jones DJ, Ng LL. The uroguanylin system and human disease. *Clin Sci.* 2012;123:659-68.
33. Sarwar N, Butterworth AS, Freitag DF, Gregson J, Willeit P, Gorman DN, et al. Interleukin-6 receptor pathways in coronary heart disease: a collaborative meta-analysis of 82 studies. *Lancet.* 2012;379:1205-13.
34. Scott PA, Zeidan B, Ng LL, Zeb M, Rosengarten JA, Garbis S, et al. Proteomic profiling to identify prognostic biomarkers in heart failure. *In Vivo.* 2012;26:875-82.
35. Stather PW, Dattani N, Bown MJ, Earnshaw JJ, Lees TA. International variations in AAA screening. *Eur J Vasc Endovasc Surg.* 2013;45:231-4.
36. Tang W, Schwienbacher C, Lopez LM, Ben-Shlomo Y, Oudot-Mellakh T, Johnson AD, et al. Genetic associations for activated partial thromboplastin time and prothrombin time, their gene expression profiles, and risk of coronary artery disease. *Am J Hum Genet.* 2012;91:152-62.
37. Vaiyapuri S, Jones CI, Sasikumar P, Moraes LA, Munger SJ, Wright JR, et al. Gap junctions and connexin hemichannels underpin hemostasis and thrombosis. *Circulation.* 2012;125:2479-91.
38. Voight BF, Kang HM, Ding J, Palmer CD, Sidore C, Chines PS, et al. The metabochip, a custom genotyping array for genetic studies of metabolic, cardiovascular, and anthropometric traits. *PLoS Genet.* 2012;8:e1002793.
39. Voight BF, Peloso GM, Orho-Melander M, Frikke-Schmidt R, Barbalic M, Jensen MK, et al. Plasma HDL cholesterol and risk of myocardial infarction: a mendelian randomisation study. *Lancet.* 2012;380:572-80.

40. Weir RA, Miller AM, Petrie CJ, Clements S, Steedman T, Dargie HJ, et al. Interleukin-21 - A biomarker of importance in predicting myocardial function following acute infarction? **Cytokine**. 2012;60:220-5.
41. Weir RA, Petrie CJ, Murphy CA, Clements S, Steedman T, Miller AM, et al. Galectin-3 and Cardiac Function in Survivors of Acute Myocardial Infarction. **Circ Heart Fail**. 2013. doi: 10.1161/circheartfailure.112.000146.
42. Wild JB, Stather PW, Sylvius N, Choke E, Sayers RD, Bown MJ. Low density lipoprotein receptor related protein 1 and abdominal aortic aneurysms. **Eur J Vasc Endovasc Surg**. 2012;44:127-32.
43. Yuyun MF, Jutla SK, Quinn PA, Ng LL. Aldosterone predicts major adverse cardiovascular events in patients with acute myocardial infarction. **Heart**. 2012:102-7.

Novel Cardiovascular Interventions

44. Adlam D, Joseph S, Robinson C, Rousseau C, Barber J, Biggs M, et al. Coronary optical coherence tomography: minimally invasive virtual histology as part of targeted post-mortem computed tomography angiography. **Int J Legal Med**. 2013. doi:10.1007/s00414-013-0837-4.
45. Armstrong PW, Gershlick AH, Goldstein P, Wilcox R, Danays T, Lambert Y, et al. Fibrinolysis or primary PCI in ST-segment elevation myocardial infarction. **New Engl J Med**. 2013;368:1379-87.
46. Banning AS, Ng GA. Driving and arrhythmia: a review of scientific basis for international guidelines. **Eur Heart J**. 2013;34:236-44.
47. Bown MJ, Sweeting MJ, Brown LC, Powell JT, Thompson SG. Surveillance intervals for small abdominal aortic aneurysms: a meta-analysis. **JAMA**. 2013;309:806-13.
48. Brack KE, Winter J, Ng GA. Mechanisms underlying the autonomic modulation of ventricular fibrillation initiation-tentative prophylactic properties of vagus nerve stimulation on malignant arrhythmias in heart failure. **Heart Fail Rev**. 2012. doi: 10.1007/s10741-012-9314-2.
49. Brown PD, Stafford PJ, Ng GA. Unusual use of a tip-versatile ablation catheter in the ablation of peri-nodal atrial tachycardia. **Europace**. 2012;14:1714.
50. Chin KY, Panaerai RB. Comparative study of Finapres devices. **Blood Press Monit**. 2012;17:171-8.
51. Chin KY, Panerai RB. A new noninvasive device for continuous arterial blood pressure monitoring in the superficial temporal artery. **Physiol Meas**. 2013;34:407-21.
52. Hussain ST, Paul M, Plein S, Shah AM, McCann G, Marber MS, et al. Design and rationale of the MR-INFORM study: stress perfusion cardiovascular magnetic resonance imaging to guide the management of patients with stable coronary artery disease. **J Cardiovasc Magn Reson**. 2012;14:65.
53. Katsogridakis E, Bush G, Fan L, Birch AA, Simpson DM, Allen R, et al. Detection of impaired cerebral autoregulation improves by increasing arterial blood pressure variability. **J Cereb Blood Flow Metab**. 2013;33:519-23.
54. Kelly DJ, McCann GP, Blackman D, Curzen NP, Dalby M, Greenwood JP, et al. Complete Versus culprit-Lesion only PRimary PCI Trial (CVLPRIT): a multicentre trial testing management strategies when multivessel disease is detected at the time of primary PCI: rationale and design. **EuroIntervention**. 2013;8:1190-8.
55. Khoo JP, Davies JE, Ang KL, Galinanes M, Chin DT. Differences in performance of five types of aortic valve prostheses: haemodynamic assessment by dobutamine stress echocardiography. **Heart**. 2013;99:41-7.
56. Khoo JP, Grundy BJ, Steadman CD, Sonnex EP, Coulden RA, McCann GP. Stress cardiovascular MR in routine clinical practice: referral patterns, accuracy, tolerance, safety and incidental findings. **Br J Radiol**. 2012;85:e851-7.
57. Madeiro JP, Nicolson WB, Cortez PC, Marques JA, Vazquez-Seisdedos CR, Elangovan N, et al. New approach for T-wave peak detection and T-wave end location in 12-lead paced ECG signals based on a mathematical model. **Med Eng Phys**. 2012. doi: 10.1016/j.medengphy.2012.11.007.
58. Martinez-Selles M, Doughty RN, Poppe K, Whalley GA, Earle N, Tribouilloy C, et al. Gender and survival in patients with heart failure: interactions with diabetes and aetiology. Results from the MAGGIC individual patient meta-analysis. **Eur J Heart Fail**. 2012;14:473-9.
59. McAlister FA, Ezekowitz J, Tarantini L, Squire I, Komajda M, Bayes-Genis A, et al. Renal dysfunction in patients with heart failure with preserved versus reduced ejection fraction:

impact of the new Chronic Kidney Disease-Epidemiology Collaboration Group formula. **Circ Heart Fail.** 2012;5:309-14.

60. Miller CA, Borg A, Clark D, Steadman CD, McCann GP, Clarysse P, et al. Comparison of local sine wave modeling with harmonic phase analysis for the assessment of myocardial strain. **J Magn Reson Imaging.** 2012. doi: 10.1002/jmri.23973.
61. Murphy A, Fenwick E, Toff WD, Neilson MP, Berry C, Uren N, et al. Transcatheter Aortic Valve Implantation for Severe Aortic Stenosis: The Cost-Effectiveness Case for Inoperable Patients in the United Kingdom. **Int J Technol Assess Health Care.** 2013:1-8.
62. Nicolson WB, McCann GP, Brown PD, Sandilands AJ, Stafford PJ, Schindwein FS, et al. A novel surface electrocardiogram-based marker of ventricular arrhythmia risk in patients with ischemic cardiomyopathy. **J Am Heart Assoc.** 2012;1:e001552.
63. Nielsen JC, Thomsen PE, Hojberg S, Moller M, Riahi S, Dalsgaard D, et al. Atrial fibrillation in patients with sick sinus syndrome: the association with PQ-interval and percentage of ventricular pacing. **Europace.** 2012;14:682-9.
64. Panerai RB, Eyre M, Potter JF. Multivariate modeling of cognitive-motor stimulation on neurovascular coupling: transcranial Doppler used to characterize myogenic and metabolic influences. **Am J Physiol.** 2012;303:R395-407. doi: 10.1152/ajpregu.00161.2012.
65. Panerai RB, Salinet AS, Robinson TG. Contribution of arterial blood pressure and PaCO₂ to the cerebrovascular responses to motor stimulation. **Am J Physiol Heart Circ Physiol.** 2012;302: 459-66.
66. Riahi S, Nielsen JC, Hjortshoj S, Thomsen PE, Hojberg S, Moller M, et al. Heart failure in patients with sick sinus syndrome treated with single lead atrial or dual-chamber pacing: no association with pacing mode or right ventricular pacing site. **Europace.** 2012;14:1475-82
67. Robinson TG, Reid A, Haunton VJ, Wilson A, Naylor AR. The face arm speech test: does it encourage rapid recognition of important stroke warning symptoms? **Emerg Med J.** 2012. doi: 10.1136/emermed-2012-201471.
68. Saeed NP, Panerai RB, Horsfield MA, Robinson TG. Does Stroke Subtype and Measurement Technique Influence Estimation of Cerebral Autoregulation in Acute Ischaemic Stroke? **Cerebvasc Dis.** 2013;35:257-61.
69. Saeed NP, Panerai RB, Robinson TG. Are Hand-Held TCD Measurements Acceptable for Estimates of CBFv? **Ultrasound Med Biol.** 2012;38:1839-44. doi: 10.1016/j.ultrasmedbio.2012.05.008.
70. Saeed NP, Panerai RB, Robinson TG. The carotid artery as an alternative site to the middle cerebral artery for reproducible estimates of autoregulation index. **Ultrasound Med Biol.** 2013;39:735-41.
71. Salinet AS, Haunton VJ, Panerai RB, Robinson TG. A systematic review of cerebral hemodynamic responses to neural activation following stroke. **J Neurol.** 2013. doi: 10.1007/s00415-013-6836-z.
72. Salinet AS, Panerai RB, Robinson TG. Effects of active, passive and motor imagery paradigms on cerebral and peripheral hemodynamics in older volunteers: a functional TCD study. **Ultrasound Med Biol.** 2012;38:997-1003.
73. Salinet AS, Robinson TG, Panerai RB. Reproducibility of cerebral and peripheral haemodynamic responses to active, passive and motor imagery paradigms in older healthy volunteers: a fTCD study. **J Neurosci Methods.** 2012;206:143-50.
74. Stather PW, Sidloff D, Dattani N, Choke E, Bown MJ, Sayers RD. Systematic review and meta-analysis of the early and late outcomes of open and endovascular repair of abdominal aortic aneurysm. **Br J Surg.** 2013;100:863-72.
75. Wild JB, Stather PW, Biancari F, Choke EC, Earnshaw JJ, Grant SW, et al. A Multicentre Observational Study of the Outcomes of Screening Detected Sub-aneurysmal Aortic Dilatation. **Eur J Vasc Endovasc Surg.** 2013;45:128-34.