

Leicester Cardiovascular BRU Publications, April 2010 - March 2011

1. Steadman CD, Ray S, Ng LL, McCann GP. Natriuretic peptides in common valvular heart disease. *J Am Coll Cardiol*. 2010;55:2034-48.
2. Samani NJ, Tomaszewski M, Schunkert H. The personal genome – the future of personalised medicine? *Lancet*. 2010;375:1497-8
3. Chan DG, Ng LL. Biomarkers in acute myocardial infarction. *BMC Med*. 2010;8:34.
4. McManus RJ, Mant J, Bray EP, Holder R, Jones MI, Greenfield S et al. Telemonitoring and self-management in the control of hypertension (TASMINH2): A randomised controlled trial. *Lancet*. 2010;376:163-72.
5. Dhillon OS, Khan SQ, Narayan HK, Ng KH, Struck J, Quinn PA et al. Prognostic value of mid-regional pro-adrenomedullin levels taken on admission and discharge in non-ST-elevation myocardial infarction; The LAMP (Leicester Acute Myocardial Infarction Peptide) II study. *J Am Coll Cardiol*. 2010;56:125-33.
6. Smith D, Toff W, Joy M, Dowdall N, Johnston R, Clark L et al. Fitness to fly for passengers with cardiovascular disease. *Heart*. 2010;96:Suppl 2 ii1-16.
7. Kuznetsova T, Codd V, Brouillette S, Thijs L, Gonzalez A, Yin Y et al. Association between left ventricular mass and telomere length in a population study. *Am J Epidemiol*. 2010;172:440-50.
8. Teslovich TM, Musunuru K, Smith AV, Edmondson AC, Stylianou IM, Koseki M et al. Biological, clinical and population relevance of 95 loci for blood lipids. *Nature*. 2010;7307:707-13.
9. Heinig M, Petretto E, Wallace C, Bottolo L, Rotival M, Lu H et al. A trans-acting locus relates an anti-viral expression network and type 1 diabetes risk. *Nature*. 2010;467:460-4.
10. Goodall AH, Burns P, Salles I, Macaulay IC, Jones CI, Ardissino D et al. Transcription profiling in human platelets reveals LRRFIP1 as a novel protein regulating platelet function. *Blood*. 2010;116:4646-56.
11. Kiechl S, Laxton RC, Xiao Q, Hernesniemi JA, Raitakari OT, Kähönen M et al. Coronary artery disease-related genetic variant on chromosome 10q11 is associated with carotid intima-media thickness and atherosclerosis. *Arterioscler Thromb Vasc Biol*. 2010;30:2678-83.
12. Lango Allen H, Estrada K, Lettre G, Berndt SI, Weedon MN, Rivadeneira F et al. Hundreds of variants clustered in genomic loci and biological pathways affect human height. *Nature*. 2010;467:832-8.
13. Preuss M, König IR, Thompson JR, Erdmann J, Absher D, Assimes TL et al; CARDIoGRAM Consortium. Design of the Coronary ARtery Disease Genome-Wide Replication and Meta-Analysis (CARDIoGRAM) Study: A Genome-wide association meta-analysis involving more than 22 000 cases and 60 000 controls. *Circ Cardiovasc Genet*. 2010;3:475-83.
14. Speliotes EK, Willer CJ, Berndt SI, Monda KL, Thorleifsson G, Jackson AU et al. Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. *Nat Genet*. 2010;42:937-48.
15. Ng LL, Khan SQ, Narayan HK, Quinn P, Squire IB, Davies JE. Proteinase 3 and prognosis of patients with acute myocardial infarction. *Clin Sci (Lond)*. 2010;120:231-238.
16. Mulla H, Hussain N, Tanna S, Lawson G, Manktelow BN, Tuleu C et al. Assessment of liquid Captopril formulations used in children. *Arch Dis Child*. 2011;96:293-96.
17. Tomaszewski M, Debiec R, Braund PS, Nelson CP, Hardwick R, Christofidou P et al. Cardiovascular gene-centric array. *Hypertension*. 2010;56:1069-76.
18. Linsel-Nitschke P, Samani NJ, Schunkert H. Sorting out cholesterol and coronary heart disease. *N Engl J Med*. 2010;363:2462-3.
19. Lanktree MB, Guo Y, Murtaza M, Glessner JT, Bailey SD, Onland-Moret NC et al. Meta-analysis of Dense Genecentric Association Studies Reveals Common and Uncommon Variants Associated with Height. *Am J Hum Genet*. 2011;88 6-18.
20. West RM, Cattle BA, Bouyssié M, Squire I, de Belder M, Fox KA et al. Impact of hospital proportion and volume on primary percutaneous coronary intervention performance in England and Wales. *Eur Heart J*. 2010;32:706-11

21. Reilly MP, Li M, He J, Ferguson JF, Stylianou IM, Mehta NN et al. Identification of ADAMTS7 as a novel locus for coronary atherosclerosis and association of ABO with myocardial infarction in the presence of coronary atherosclerosis: two genome-wide association studies. **Lancet**. 2011 377:383-92.
22. Reinhard W, Kaess BM, Debiec R, Nelson CP, Stark K, Tobin MD et al. Heritability of early repolarisation – a population based study. **Circ Cardiovasc Genet**. 2011;4:134-8
23. Kaess BM, Tomaszewski M, Braund PS, Stark K, Rafelt S, Fischer M et al. Large-scale candidate gene analysis of HDL particle features. **PLoS One**. 2011;6:e14529.
24. Nielsen JC, Thomsen PE, Højberg S, Møller M, Vesterlund T, Dalsgaard D et al. A comparison of single-lead atrial pacing with dual-chamber pacing in sick sinus syndrome. **Eur Heart J**. 2011;Epub.
25. Edmondson AC, Braund PS, Stylianou IM, Khera AV, Nelson CP, Wolfe ML et al. Dense Genotyping of Candidate Gene Loci Identifies Variants Associated with High-Density Lipoprotein Cholesterol. **Circ Cardiovasc Genet**. 2011;4:145-55.
26. Narayan H, Dhillon OS, Quinn P, Struck J, Squire IB, Davies JE et al. C-Terminal Provasopressin (Copeptin) as Prognostic Marker after Acute Non ST Elevation Myocardial Infarction - Leicester Acute Myocardial Infarction Peptide II (LAMP II) study. **Clin Sci (London)**. 2011;121:79-89.
27. Williams B, Lacy PS, Yan P, Hwee CN, Liang C, Ting CM. Development and validation of a novel method to derive central aortic systolic pressure from the radial pressure waveform using an N-point moving average method. **J Am Coll Cardiol**. 2011;57:951-61.
28. The Coronary Artery Disease (C4D) Genetics Consortium; Steering and Writing committee, Peden JF, Hopewell JC, Saleheen D, Chambers JC et al. A genome-wide association study in Europeans and South Asians identifies five new loci for coronary artery disease. **Nat Genet**. 2011;43:339-44
29. Schunkert H, König IR, Kathiresan S, Reilly MP, Assimes TL, Holm H et al. Large-scale association analysis identifies 13 new susceptibility loci for coronary artery disease. **Nat Genet**. 2011;43:333-8
30. McCann GP, Steadman CD, Ray SG, Newby DE; on behalf of the British Heart Valve Society. Managing the asymptomatic patient with severe aortic stenosis: randomised controlled trials of early surgery are overdue. **Heart**. 2011;97:1119-21.
31. Panerai RB, Salinet AS, Brodie FG, Robinson TG. The influence of calculation method on estimates of cerebral critical closing pressure. **Physiol Meas**. 2011; 32:467-82.
32. Klip IT, Voors AA, Anker SD, Hillege HL, Struck J, Squire I et al. Prognostic value of mid-regional pro-adrenomedullin in patients with heart failure after an acute myocardial infarction. **Heart**. 2011;97:892-8.
33. Tomaszewski M, Charchar FJ, Nelson CP, Barnes T, Denniff M, Kaiser M et al. Pathway Analysis Shows Association between FGFBP1 and Hypertension. **J Am Soc Nephrol**. 2011;22:947-55.
34. Bhandari SS, Davies JE, Struck J, Ng LL. Influence of confounding factors on plasma Mid-Regional pro-Adrenomedullin and Mid-Regional pro-A-type Natriuretic Peptide concentrations in healthy individuals. **Biomarkers**. 2011;16:281-7.
35. Parthasarathy HK, Ménard J, White WB, Young WF Jr, Williams GH, Williams B et al. A double-blind, randomized study comparing the antihypertensive effect of eplerenone and spironolactone in patients with hypertension and evidence of primary aldosteronism. **J Hypertens**. 2011;29:980-990.
36. Villard E, Perret C, Gary F, Proust C, Dilanian G, Hengstenberg C et al. A genome-wide association study identifies two loci associated with heart failure due to dilated cardiomyopathy. **Eur Heart J**. 2011;32:1065-76.
37. Williams B. High blood pressure in young people and premature death. **BMJ**. 2011;342:d1104.

38. Craddock N, Hurles ME, Cardin N, Pearson RD, Plagnol V, Robson S et al. Genome-wide association study of CNV's in 16,000 cases of eight common diseases and 3,000 shared controls. **Nature**. 2010; 464:713-U86.
39. Sotoodehnia N, Isaacs A, de Bakker PIW, Dorr M, Newton-Cheh C, Nolte IM et al. Common variants in 22 loci are associated with QRS duration and cardiac ventricular conduction. **Nat Genet**. 2010;42(12):1068-76.
40. Heid IM, Jackson AU, Randall JC, Winkler TW, Qi L, Steinthorsdottir V et al. Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. **Nat Genet**. 2010;42(11):949-60.
41. Teupser D, Baber R, Ceglarek U, Scholz M, Illig T, Geiger C et al. Genetic regulation of serum phytosterol levels and risk of coronary heart disease. **Circ Cardiovasc Genet**. 2010; 3:331-9.