

Leicester Cardiovascular BRU Publications, April 2011 - March 2012

1. Winter J, Brack KE, Ng GA. Cardiac Contractility modulation in the treatment of heart failure: initial results and unanswered questions. *Eur J Heart Fail.* 2011;13:700 - 10
2. Parthasarathy HK, White WB, Young WF Jnr, Williams GH, Williams B, Ruilope LM et al. A double-blind, randomized study comparing the antihypertensive effect of eplerenone and spironolactone in patients with hypertension and evidence of primary aldosteronism. *J Hypertens.* 2011;29:980-90
3. Vogler M, Hamali HA, Sun XM, Bampton ET, Dinsdale D, Snowden RT et al. BCL2/BCL-XL-inhibition induces apoptosis, disrupts cellular calcium homeostasis and prevents platelet activation. *Blood.* 2011;117:7145-54.
4. Wild PS, Zeller T, Schillert A, Szymczak S, Sinning CR, Deiseroth A et al. A Genome-wide association study identifies LIPA as a susceptibility gene for coronary artery disease. *Circ Cardiovasc Genet.* 2011;4:403-412.
5. Weir RA, Clements S, Steedman T, Dargie HJ, McMurray JJ, Squire IB et al. Plasma TIMP-4 predicts left ventricular remodelling after acute myocardial infarction. *J Card Fail.* 2011;17:465-71.
6. Dhillon OS, Narayan HK, Quinn PA, Squire IB, Davies JE, Ng LL. Interleukin 33 and ST2 in non-ST-elevation myocardial infarction: Comparison with global registry of acute coronary events risk scoring and NT-proBNP. *Am Heart J.* 2011;161:1163-70.
7. Tuan J, Jeilan M, Kundu S, Nicolson W, Chung I, Stafford PJ et al. Regional fractionation and dominant frequency in persistent atrial fibrillation: effects of left atrial ablation and evidence of spatial relationship. *Europace.* 2011;13:1550-6.
8. Scott PA, Townsend PA, Ng LL, Zeb M, Harris S, Roderick PJ et al. Defining potential to benefit from implantable cardioverter defibrillator therapy: the role of biomarkers. *Europace.* 2011;13:1419-27.
9. Angelakopoulou A, Shah T, Sofat R, Shah S, Berry DJ, Cooper J et al. Comparative analysis of genome-wide-association studies signals for lipids, diabetes, and coronary heart disease: Cardiovascular biomarker genetics collaboration. *Eur Heart J.* 2011;33:393-407.
10. Maisel A, Mueller C, Nowak RM, Peacock WF, Ponikowski P, Mockel M et al. Midregion pro-hormone adrenomedullin and prognosis in patients presenting with acute dyspnea results from the BACH (Biomarkers in acute heart failure) trial. *J Am Coll Cardiol.* 2011;58:1057-67.
11. Lovibond K, Jowett S, Barton P, Caulfield M, Heneghan C, Hobbs FR et al. Cost-effectiveness of options for the diagnosis of high blood pressure in primary care: a modelling study. *Lancet.* 2011;378:1219-30.
12. Krause T, Lovibond K, Caulfield M, McCormack T, Williams B. Management of hypertension: summary of NICE guidance. *BMJ* 2011. 2011;343:D4891
13. Suhre K, Shin SY, Peterson AK, Monhey RP, Meredith D, Wagele B et al. Human metabolic individuality in biomedical and pharmaceutical research. *Nature.* 2011;477:54-60.
14. Wain LV, Verwoert GC, O'Reilly PF, Shi G, Johnson T, Bochud M et al. Genome-wide association study identifies six new loci influencing pulse pressure and mean arterial pressure. *Nat Genet.* 2011;43:1005-11.
15. The International Consortium for blood pressure genome-wide association studies, Ehret GB, Munroe PB, Rice KM, Bochud M, Johnson AD et al. Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. *Nature.* 2011;478:103-9
16. Winter J, Tanko AS, Brack KE, Coote JH, Ng GA. Differential cardiac responses to unilateral sympathetic nerve stimulation in the isolated innervated rabbit heart. *Auton Neurosci.* 2011;166:4-14.
17. Ahmad A, Salinet JL Jnr, Brown P, Tuan JH, Stafford PJ, Ng GA et al. QRS subtraction for atrial electrograms: flat, linear, and spline interpolations. *Med Biol Eng Compute.* 2011;49:1231-8
18. Shah S, Nelson CP, Gaunt TR, van der Harst P, Barnes T, Braund PS et al. Four genetic loci influencing electrocardiographic indices of left ventricular hypertrophy. *Circ Cardiovasc Genet.* 2011;4:626-635.
19. Antony R, Daghm M, McCann GP, Daghm S, Moon J, Pennell DJ et al. Cardiovascular magnetic resonance activity in the United Kingdom: a survey on behalf of the British Society of Cardiovascular Magnetic Resonance. *J Cardiovasc Magn Reson.* 2011;13:57.
20. Buust CJ, Bloomer LD, Scurrah KJ, Elliss JA, Barnes TA, Charchar FJ et al. The epithelial sodium channel γ -subunit gene and blood pressure: Family based association, renal gene expression, and physiological analyses. *Hypertension.* 2011;58:1073-8

21. Armaganijan LV, Toff WD, Nielsen JC, Anderson HR, Connolly SJ, Ellenbogen KA et al. Are elderly patients at increased risk of complications following pacemaker implementation? A meta-analysis of randomized trials. ***Pacing Clin Electrophysiol.*** 2012;35:131-134
22. Marques FZ, Campain AE, Tomaszewski M, Zukowska-Szczechowska E, Yang YH, Charchar FJ et al. Gene expression profiling reveals renin mRNA overexpression in human hypertensive kidneys and role for microRNAs. ***Hypertension.*** 2011;58:1093-8
23. Bown MJ, Jones GT, Harrison SC, Wright BJ, Bumpstead S, Baas AS et al. Abdominal aortic aneurysm is associated with a variant in low-density lipoprotein receptor-related protein 1. ***Am J Hum Genet.*** 2011;89:619-27.
24. Panerai RB, Salinet AS, Robinson TG. Contribution of arterial blood pressure and PaCO₂ to the cerebrovascular responses to motor stimulation. ***Am J Physiol Heart Circ Physiol.*** 2011;302:H459-66.
25. Singh H, Tahir TA, Alawo DO, Issa E, Brindle NP. Molecular control of angiotensin signalling. ***Biochem Soc Trans.*** 2011;39:1592-6.
26. Nielsen JC, Thomsen PE, Højberg S, Møller M, Riahi S, Dalsgaard D et al. Atrial fibrillation in patients with sick sinus syndrome: the association with PQ-interval and percentage of ventricular pacing. ***Europace.*** 2011;14:682-689.
27. Bhandari SS, Davies JE, Struck J, Ng LL. The diagnostic performance of mid-regional portion of pro-atrial natriuretic peptide for the detection of left ventricular hypertrophy in caucasian hypertensive patients. ***J Hum Hypertens.*** 2011;Epub
28. Nicolaou G, Goodall AH, Erridge C. Diverse bacteria promote macrophage foam cell formation via toll-like receptor-dependant lipid body biosynthesis. ***J Atheroscler Thromb.*** 2012;19:137-48.
29. Gieger C, Radhakrishnan A, Cvejic A, Tang W, Porcu E, Pistis G et al. New gene functions in megakaryopoiesis and platelet formation. ***Nature.*** 2011;480:201-8.
30. Rotival M, Zeller T, Wild PS, Maouche S, Szymczak S, Schillert A et al. Integrating gene-wide genetic variations and monocyte expression data reveals trans-regulated gene modules in humans. ***PLoS Genet.*** 2011;7:e1002367.
31. Peterson AK, Stark K, Musameh MD, Nelson CP, Römisch-Margl W, Kremer W et al. Genetic associations with lipoprotein subfractions provide information on their biological nature. ***Hum Mol Genet.*** 2012;21:1433-43
32. Hunt KA, Smyth DJ, Balschun T, Ban M, Mistry V, Ahmad T et al. Rare and functional SIAE variants are not associated with autoimmune disease risk in up to 66,924 individuals of European ancestry. ***Nat Genet.*** 2011;44:3-5.
33. McManus RJ, Caulfield M, Williams B. NICE hypertension guideline 2011: evidence based evolution. ***BMJ.*** 2012;344:e181.
34. Maisal A, Neath SX, Landsberg J, Mueller C, Nowak RM, Peacock WF et al. Use of procalcitonin for the diagnosis of pneumonia in patients presenting with a chief complaint of dyspnoea: results from the BACH (Biomarkers in acute heart failure) trial. ***Eur J Heart Fail.*** 2012;14:278-86.
35. Hunt BD, Ng LL, Lambert DG. In vitro siRNA-mediated knockdown of the UT receptor: implications on density on the efficacy of a range of UT ligands. ***Naunyn Schmiedeberg's Arch Pharmacol.*** 2012;385:651-6
36. Davies EW, Wells GA, Stewart AF, Erdmann J, Shah SH, Ferguson JF et al. A genome wide association study for coronary artery disease identifies a novel susceptibility locus in the major histocompatibility complex. ***Circ Cardiovasc Genet.*** 2012;5:217-25.
37. Charchar FJ, Bloomer LD, Barnes TA, Cowley MJ, Nelson CP, Wang W et al. Inheritance of coronary artery disease in men: an analysis of the role of the Y chromosome. ***Lancet.*** 2012;379:915-22.
38. Steadman CD, Jerosch-Herold M, Grundy B, Rafelt S, Ng LL, Squire IB et al. Determinants and functional significance of myocardial perfusion reserve in severe aortic stenosis. ***JACC Cardiovasc Imaging.*** 2012;5:182-9.
39. Sivapalaratnam S, Basart H, Watkins NA, Maiwald S, Rendon A, Krishnan U et al. Monocyte gene expression signature of patients with early onset coronary artery disease. ***PLoS One*** 2012;7:e32166.
40. Salinet AS, Robinson TG, Panerai RB. Reproducibility of cerebral and peripheral haemodynamic responses to active, passive and motor imagery paradigms in older healthy volunteers: A FtCD study. ***J Neuosci Methods.*** 2012;206:143-50.

41. Riahi S, Hjortshoj, Thomsen PEB, Hojberg S, Moller M, Dalsgaard D et al. Heart failure in patients with sick sinus syndrome treated with single lead atrial or dual-chamber pacing: no association with pacing mode or right ventricular pacing site. ***Europace***. 2012;14:1475-82.