

LCBRU Publications, April 2014-March 2015

Genetics and Biomarkers

- Adoue V, Schiavi A, Light N, Almlof JC, Lundmark P, Ge B, et al. Allelic expression mapping across cellular lineages to establish impact of non-coding SNPs. *Mol Syst Biol.* 2014;10(10):754.
- Almlof JC, Lundmark P, Lundmark A, Ge B, Pastinen T, Cardiogenics C, et al. Single nucleotide polymorphisms with cis-regulatory effects on long non-coding transcripts in human primary monocytes. *PLoS One.* 2014;9(7):e102612.
- Deelen J, Beekman M, Uh HW, Broer L, Ayers KL, Tan Q, et al. Genome-wide association meta-analysis of human longevity identifies a novel locus conferring survival beyond 90 years of age. *Hum Mol Genet.* 2014;23(16):4420-32.
- Dick KJ, Nelson CP, Tsaprouni L, Sandling JK, Aissi D, Wahl S, et al. DNA methylation and body-mass index: a genome-wide analysis. *Lancet.* 2014;383(9933):1990-8.
- Do R, Stitzel NO, Won HH, Jorgensen AB, Duga S, Angelica Merlini P, et al. Exome sequencing identifies rare LDLR and APOA5 alleles conferring risk for myocardial infarction. *Nature.* 2015;518(7537):102-6.
- Foroughi Asl H, Talukdar HA, Kindt AS, Jain RK, Ermel R, Ruusalepp A, et al. Expression Quantitative Trait Loci Acting Across Multiple Tissues Are Enriched in Inherited Risk for Coronary Artery Disease. *Circ Cardiovasc Genet.* 2015. Epub 2015/01/13
- Gazal S, Sacre K, Allanore Y, Teruel M, Goodall AH, Tohma S, et al. Identification of secreted phosphoprotein 1 gene as a new rheumatoid arthritis susceptibility gene. *Ann Rheum Dis.* 2015;74(3):e19.
- Germain M, Chasman DI, de Haan H, Tang W, Lindstrom S, Weng LC, et al. Meta-analysis of 65,734 Individuals Identifies TSPAN15 and SLC44A2 as Two Susceptibility Loci for Venous Thromboembolism. *Am J Hum Genet.* 2015. Epub 2015/03/17.
- Holmes MV, Asselbergs FW, Palmer TM, Drenos F, Lanktree MB, Nelson CP, et al. Mendelian randomization of blood lipids for coronary heart disease. *Eur Heart J.* 2015;36(9):539-50.
- Holmes MV, Exeter HJ, Folkersen L, Nelson CP, Guardiola M, Cooper JA, et al. Novel genetic approach to investigate the role of plasma secretory phospholipase A2 (sPLA2)-V isoenzyme in coronary heart disease: modified Mendelian randomization analysis using PLA2G5 expression levels. *Circ Cardiovasc Genet.* 2014;7(2):144-50.
- Huan T, Rong J, Tanriverdi K, Meng Q, Bhattacharya A, McManus DD, et al. Dissecting the Roles of MicroRNAs in Coronary Heart Disease via Integrative Genomic Analyses. *Arterioscler Thromb Vasc Biol.* 2015. Epub 2015/02/07.
- Jansen H, Samani NJ, Schunkert H. Mendelian randomization studies in coronary artery disease. *Eur Heart J.* 2014;35(29):1917-24.
- Locke AE, Kahali B, Berndt SI, Justice AE, Pers TH, Day FR, et al. Genetic studies of body mass index yield new insights for obesity biology. *Nature.* 2015;518(7538):197-206.
- Makinen VP, Civelek M, Meng Q, Zhang B, Zhu J, Levian C, et al. Integrative genomics reveals novel molecular pathways and gene networks for coronary artery disease. *PLoS Genet.* 2014;10(7):e1004502.
- Mangino M, Christiansen L, Stone R, Hunt SC, Horvath K, Eisenberg DT, et al. DCAF4, a novel gene associated with leucocyte telomere length. *J Med Genet.* 2015;52(3):157-62.
- McCarthy NS, Vangjeli C, Cavalleri GL, Delanty N, Shianna KV, Surendran P, et al. Two further blood pressure loci identified in ion channel genes with a gene-centric approach. *Circ Cardiovasc Genet.* 2014;7(6):873-9.
- Musameh MD, Wang WY, Nelson CP, Lluís-Ganella C, Debiec R, Subirana I, et al. Analysis of gene-gene interactions among common variants in candidate cardiovascular genes in coronary artery disease. *PLoS One.* 2015;10(2):e0117684.

- Ng LL, Sandhu JK, Narayan H, Quinn PA, Squire IB, Davies JE, et al. Pro-substance p for evaluation of risk in acute myocardial infarction. *J Am Coll Cardiol*. 2014;64(16):1698-707.
- Saratzis A, Bown MJ. The genetic basis for aortic aneurysmal disease. *Heart*. 2014;100(12):916-22.
- Saxena R, Bjorntjes A, Prescott J, Dib P, Natt P, Lane J, et al. Genome-wide association study identifies variants in casein kinase II (CSNK2A2) to be associated with leukocyte telomere length in a Punjabi Sikh diabetic cohort. *Circ Cardiovasc Genet*. 2014;7(3):287-95.
- Schunkert H, Samani NJ. Statin treatment: can genetics sharpen the focus? *Lancet*. 2015. Epub 2015/03/10.
- Shungin D, Winkler TW, Croteau-Chonka DC, Ferreira T, Locke AE, Magi R, et al. New genetic loci link adipose and insulin biology to body fat distribution. *Nature*. 2015;518(7538):187-96.
- Stather PW, Sidloff DA, Dattani N, Gokani VJ, Choke E, Sayers RD, et al. Meta-analysis and meta-regression analysis of biomarkers for abdominal aortic aneurysm. *Br J Surg*. 2014;101(11):1358-72.
- Tg, Hdl Working Group of the Exome Sequencing Project NHL, Blood I, Crosby J, Peloso GM, Auer PL, et al. Loss-of-function mutations in APOC3, triglycerides, and coronary disease. *N Engl J Med*. 2014;371(1):22-31.
- Tsaprouni LG, Yang TP, Bell J, Dick KJ, Kanoni S, Nisbet J, et al. Cigarette smoking reduces DNA methylation levels at multiple genomic loci but the effect is partially reversible upon cessation. *Epigenetics*. 2014;9(10):1382-96.
- Walsh KM, Codd V, Smirnov IV, Rice T, Decker PA, Hansen HM, et al. Variants near TERT and TERC influencing telomere length are associated with high-grade glioma risk. *Nat Genet*. 2014;46(7):731-5.
- Wood AR, Esko T, Yang J, Vedantam S, Pers TH, Gustafsson S, et al. Defining the role of common variation in the genomic and biological architecture of adult human height. *Nat Genet*. 2014;46(11):1173-86.

Novel Cardiovascular Interventions

- Abbasian N, Burton JO, Herbert KE, Tregunna BE, Brown JR, Ghaderi-Najafabadi M, et al. Hyperphosphatemia, Phosphoprotein Phosphatases, and Microparticle Release in Vascular Endothelial Cells. *J Am Soc Nephrol*. 2015. Epub 2015/03/07.
- Alahmar AE, Nelson CP, Snell KI, Yuyun MF, Musameh MD, Timmis A, et al. Resuscitated cardiac arrest and prognosis following myocardial infarction. *Heart*. 2014;100(14):1125-32.
- Arima H, Heeley E, Delcourt C, Hirakawa Y, Wang X, Woodward M, et al. Optimal achieved blood pressure in acute intracerebral hemorrhage: INTERACT2. *Neurology*. 2015;84(5):464-71.
- Birnie K, Verheyden V, Pagano D, Bhabra M, Tilling K, Sterne JA, et al. Predictive models for kidney disease: improving global outcomes (KDIGO) defined acute kidney injury in UK cardiac surgery. *Crit Care*. 2014;18(6):606.
- Bown MJ, Powell JT. Part two: against the motion. Evidence does not support reducing the threshold diameter to 5 cm for elective interventions in women with abdominal aortic aneurysms. *Eur J Vasc Endovasc Surg*. 2014;48(6):614-8.
- Castro PM, Santos R, Freitas J, Panerai RB, Azevedo E. Autonomic dysfunction affects dynamic cerebral autoregulation during Valsalva maneuver: comparison between healthy and autonomic dysfunction subjects. *J Appl Physiol*. 2014;117(3):205-13.
- Chan E, Anderson CS, Wang X, Arima H, Saxena A, Moullaali TJ, et al. Significance of intraventricular hemorrhage in acute intracerebral hemorrhage: intensive blood pressure reduction in acute cerebral hemorrhage trial results. *Stroke*. 2015;46(3):653-8.
- Chin KY, Panerai RB. Relating external compressing pressure to mean arterial pressure in non-invasive blood pressure measurements. *J Med Eng Technol*. 2015;39(1):79-85.

- Dianati Maleki N, Van de Werf F, Goldstein P, Adgey JA, Lambert Y, Sulimov V, et al. Aborted myocardial infarction in ST-elevation myocardial infarction: insights from the STRategic Reperfusion Early After Myocardial infarction trial. *Heart*. 2014;100(19):1543-9.
- El-Hayek GE, Gershlick AH, Hong MK, Dominguez AC, Banning A, Afshar AE, et al. Meta-Analysis of Randomized Controlled Trials Comparing Multivessel Versus Culprit-Only Revascularization for Patients With ST-Segment Elevation Myocardial Infarction and Multivessel Disease Undergoing Primary Percutaneous Coronary Intervention. *Am J Cardiol*. 2015. Epub 2015/04/05.
- Everett TR, Wilkinson IB, Mahendru AA, McEniery CM, Garner SF, Goodall AH, et al. S-Nitrosoglutathione improves haemodynamics in early-onset pre-eclampsia. *Br J Clin Pharmacol*. 2014;78(3):660-9.
- Fall T, Hagg S, Ploner A, Magi R, Fischer K, Draisma HH, et al. Age- and Sex-Specific Causal Effects of Adiposity on Cardiovascular Risk Factors. *Diabetes*. 2015. Epub 2015/02/26.
- George S, Cockburn J, Clayton TC, Ludman P, Cotton J, Spratt J, et al. Long-term follow-up of elective chronic total coronary occlusion angioplasty: analysis from the U.K. Central Cardiac Audit Database. *J Am Coll Cardiol*. 2014;64(3):235-43.
- Gershlick AH, Khan JN, Kelly DJ, Greenwood JP, Sasikaran T, Curzen N, et al. Randomized Trial of Complete Versus Lesion-Only Revascularization in Patients Undergoing Primary Percutaneous Coronary Intervention for STEMI and Multivessel Disease: The CvLPRIT Trial. *J Am Coll Cardiol*. 2015;65(10):963-72.
- Gershlick AH, Westerhout CM, Armstrong PW, Huber K, Halvorsen S, Steg PG, et al. Impact of a pharmacoinvasive strategy when delays to primary PCI are prolonged. *Heart*. 2015. Epub 2015/02/19.
- Gholap NN, Khunti K, Davies MJ, Bodicoat DH, Squire IB. Survival in South Asian and White European patients after acute myocardial infarction. *Heart*. 2015. Epub 2015/02/13.
- Gokani VJ, Sidloff D, Bath MF, Bown MJ, Sayers RD, Choke E. A retrospective study: Factors associated with the risk of abdominal aortic aneurysm rupture. *Vascul Pharmacol*. 2015;65-66:13-6.
- Good RI, McGarrity A, James TE, Miller H, McConnachie A, Goodall AH, et al. Dual antiplatelet response during PCI: VerifyNow P2Y12 predicts myocardial necrosis and thromboxane B2 generation confirms wide variation in aspirin response. *Thromb Res*. 2015. Epub 2015/03/10.
- Good RI, McGarrity A, Sheehan R, James TE, Miller H, Stephens J, et al. Variation in thromboxane B2 concentrations in serum and plasma in patients taking regular aspirin before and after clopidogrel therapy. *Platelets*. 2015;26(1):17-24.
- Henson J, Edwardson CL, Morgan B, Horsfield MA, Bodicoat DH, Biddle SJ, et al. Associations of Sedentary Time with Fat Distribution in a High-Risk Population. *Med Sci Sports Exerc*. 2014. Epub 2014/11/12.
- Honek J, Seki T, Iwamoto H, Fischer C, Li J, Lim S, et al. Modulation of age-related insulin sensitivity by VEGF-dependent vascular plasticity in adipose tissues. *Proc Natl Acad Sci U S A*. 2014;111(41):14906-11.
- Hunter JP, Saratzis A, Sutton AJ, Boucher RH, Sayers RD, Bown MJ. In meta-analyses of proportion studies, funnel plots were found to be an inaccurate method of assessing publication bias. *J Clin Epidemiol*. 2014;67(8):897-903.
- International AAASG, Bjorck M, Bown MJ, Choke E, Earnshaw J, Florenes T, et al. International update on screening for abdominal aortic aneurysms: issues and opportunities. *Eur J Vasc Endovasc Surg*. 2015;49(2):113-5.
- Iqbal J, Fay R, Adlam D, Squire I, Parviz Y, Gunn J, et al. Effect of eplerenone in percutaneous coronary intervention-treated post-myocardial infarction patients with left ventricular systolic dysfunction: a subanalysis of the EPHEsus trial. *Eur J Heart Fail*. 2014;16(6):685-91.

- Jackson CE, Castagno D, Maggioni AP, Kober L, Squire IB, Swedberg K, et al. Differing prognostic value of pulse pressure in patients with heart failure with reduced or preserved ejection fraction: results from the MAGGIC individual patient meta-analysis. *Eur Heart J*. 2015.
- Joseph S, Adnan A, Subhash HM, Leahy M, Adlam D. Developing cross-correlation as a method for microvessel imaging using clinical intravascular optical coherence tomography systems. *Biomed Opt Express*. 2015;6(3):668-89.
- Kanber B, Hartshorne TC, Horsfield MA, Naylor AR, Robinson TG, Ramnarine KV. A Novel Ultrasound-Based Carotid Plaque Risk Index Associated with the Presence of Cerebrovascular Symptoms. *Ultraschall Med*. 2014. Epub 2014/11/13.
- Khan JN, Nazir SA, Horsfield MA, Singh A, Kanagala P, Greenwood JP, et al. Comparison of semi-automated methods to quantify infarct size and area at risk by cardiovascular magnetic resonance imaging at 1.5T and 3.0T field strengths. *BMC Res Notes*. 2015;8(1):1007.
- Khan JN, Razvi N, Nazir SA, Singh A, Masca NG, Gershlick AH, et al. Prevalence and extent of infarct and microvascular obstruction following different reperfusion therapies in ST-elevation myocardial infarction. *J Cardiovasc Magn Reson*. 2014;16:38.
- Khan JN, Singh A, Nazir SA, Kanagala P, Gershlick AH, McCann GP. Comparison of cardiovascular magnetic resonance feature tracking and tagging for the assessment of left ventricular systolic strain in acute myocardial infarction. *Eur J Radiol*. 2015. Epub 2015/03/07.
- Khan JN, Wilmot EG, Leggate M, Singh A, Yates T, Nimmo M, et al. Subclinical diastolic dysfunction in young adults with Type 2 diabetes mellitus: a multiparametric contrast-enhanced cardiovascular magnetic resonance pilot study assessing potential mechanisms. *Eur Heart J Cardiovasc Imaging*. 2014;15(11):1263-9.
- Kunadian V, Qiu W, Ludman P, Redwood S, Curzen N, Stables R, et al. Outcomes in patients with cardiogenic shock following percutaneous coronary intervention in the contemporary era: an analysis from the BCIS database (British Cardiovascular Intervention Society). *JACC Cardiovasc Interv*. 2014;7(12):1374-85.
- Liu J, Simpson DM, Kouchakpour H, Panerai RB, Chen J, Gao S, et al. Rapid pressure-to-flow dynamics of cerebral autoregulation induced by instantaneous changes of arterial CO₂. *Med Eng Phys*. 2014;36(12):1636-43.
- Lobo MD, Sobotka PA, Stanton A, Cockcroft JR, Sulke N, Dolan E, et al. Central arteriovenous anastomosis for the treatment of patients with uncontrolled hypertension (the ROX CONTROL HTN study): a randomised controlled trial. *Lancet*. 2015. Epub 2015/01/27
- Ludman PF, Moat N, de Belder MA, Blackman DJ, Duncan A, Banya W, et al. Transcatheter Aortic Valve Implantation in the UK: Temporal Trends, Predictors of Outcome and 6 Year Follow Up: A Report from the UK TAVI Registry 2007 to 2012. *Circulation*. 2015. Epub 2015/02/01.
- Manning L, Robinson TG, Anderson CS. Control of blood pressure in hypertensive neurological emergencies. *Curr Hypertens Rep*. 2014;16(6):436.
- McMurray J, Packer M, Desai A, Gong J, Greenlaw N, Lefkowitz M, et al. A putative placebo analysis of the effects of LCZ696 on clinical outcomes in heart failure. *Eur Heart J*. 2015;36(7):434-9.
- Meel-van den Abeelen AS, Simpson DM, Wang LJ, Slump CH, Zhang R, Tarumi T, et al. Between-centre variability in transfer function analysis, a widely used method for linear quantification of the dynamic pressure-flow relation: the CARNet study. *Med Eng Phys*. 2014;36(5):620-7.
- Meel-van den Abeelen AS, van Beek AH, Slump CH, Panerai RB, Claassen JA. Transfer function analysis for the assessment of cerebral autoregulation using spontaneous oscillations in blood pressure and cerebral blood flow. *Med Eng Phys*. 2014;36(5):563-75.
- Nazir SA, Khan JN, Mahmoud IZ, Greenwood JP, Blackman DJ, Kunadian V, et al. The REFLO-STEMI trial comparing intracoronary adenosine, sodium nitroprusside and standard therapy for the attenuation of infarct size and microvascular obstruction during primary percutaneous coronary intervention: study protocol for a randomised controlled trial. *Trials*. 2014;15:371.
- Nazir SA, Khan JN, McCann GP. Free breathing motion-corrected T1 mapping for robust assessment of myocardial injury post myocardial infarction. *Int J Cardiovasc Imaging*. 2015;31(1):123-4.

- Nicolson WB, McCann GP, Smith MI, Sandilands AJ, Stafford PJ, Schlindwein FS, et al. Prospective evaluation of two novel ECG-based restitution biomarkers for prediction of sudden cardiac death risk in ischaemic cardiomyopathy. *Heart*. 2014;100(23):1878-85.
- Packer M, McMurray JJ, Desai AS, Gong J, Lefkowitz MP, Rizkala AR, et al. Angiotensin receptor neprilysin inhibition compared with enalapril on the risk of clinical progression in surviving patients with heart failure. *Circulation*. 2015;131(1):54-61.
- Panerai RB, Saeed NP, Robinson TG. Cerebrovascular effects of the thigh cuff maneuver. *Am J Physiol Heart Circ Physiol*. 2015:ajpheart 00887 2014. Epub 2015/02/11.
- Parviz Y, Iqbal J, Pitt B, Adlam D, Al-Mohammad A, Zannad F. Emerging cardiovascular indications of mineralocorticoid receptor antagonists. *Trends Endocrinol Metab*. 2015. Epub 2015/02/25.
- Patel N, Horsfield MA, Banahan C, Janus J, Masters K, Morlese J, et al. Impact of perioperative infarcts after cardiac surgery. *Stroke*. 2015;46(3):680-6.
- Radholm K, Arima H, Lindley RI, Wang J, Tzourio C, Robinson T, et al. Older age is a strong predictor for poor outcome in intracerebral haemorrhage: the INTERACT2 study. *Age Ageing*. 2014. Epub 2014/12/17.
- Ramnarine KV, Garrard JW, Kanber B, Nduwayo S, Hartshorne TC, Robinson TG. Shear wave elastography imaging of carotid plaques: feasible, reproducible and of clinical potential. *Cardiovasc Ultrasound*. 2014;12(1):49.
- Ripley DP, Brown JM, Everett CC, Bijsterveld P, Walker S, Sculpher M, et al. Rationale and design of the Clinical Evaluation of Magnetic Resonance Imaging in Coronary heart disease 2 trial (CE-MARC 2): a prospective, multicenter, randomized trial of diagnostic strategies in suspected coronary heart disease. *Am Heart J*. 2015;169(1):17-24 e1.
- Salem MK, Bown MJ, Sayers RD, West K, Moore D, Nicolaides A, et al. Identification of patients with a histologically unstable carotid plaque using ultrasonic plaque image analysis. *Eur J Vasc Endovasc Surg*. 2014;48(2):118-25.
- Salinet AS, Panerai RB, Robinson TG. The longitudinal evolution of cerebral blood flow regulation after acute ischaemic stroke. *Cerebrovasc Dis Extra*. 2014;4(2):186-97.
- Salinet AS, Robinson TG, Panerai RB. Effects of cerebral ischemia on human neurovascular coupling, CO₂ reactivity, and dynamic cerebral autoregulation. *J Appl Physiol*. 2015;118(2):170-7.
- Sandhu JK, Auluck J, Ng LL, Jones DJ. Improved analysis of vitamin D metabolites in plasma using liquid chromatography tandem mass spectrometry, and its application to cardiovascular research. *Biomed Chromatogr*. 2014;28(6):913-7.
- Sato S, Heeley E, Arima H, Delcourt C, Hirakawa Y, Pamidimukkala V, et al. Higher mortality in patients with right hemispheric intracerebral haemorrhage: INTERACT1 and 2. *J Neurol Neurosurg Psychiatry*. 2015. Epub 2015/01/16.
- Schulz S, Richardt G, Laugwitz KL, Morath T, Neudecker J, Hoppmann P, et al. Prasugrel plus bivalirudin vs. clopidogrel plus heparin in patients with ST-segment elevation myocardial infarction. *Eur Heart J*. 2014;35(34):2285-94.
- Sidloff D, Choke E, Stather P, Bown M, Thompson J, Sayers R. Mortality from thoracic aortic diseases and associations with cardiovascular risk factors. *Circulation*. 2014;130(25):2287-94.
- Sidloff DA, Gokani V, Stather PW, Choke E, Bown MJ, Sayers RD. Type II endoleak: conservative management is a safe strategy. *Eur J Vasc Endovasc Surg*. 2014;48(4):391-9.
- Sidloff DA, Gokani VJ, Stather PW, Choke E, Bown MJ, Sayers RD. National Vascular Registry Report on surgical outcomes and implications for vascular centres. *Br J Surg*. 2014;101(6):637-42.
- Singh A, Horsfield MA, Bekele S, Khan J, Greiser A, McCann GP. Myocardial T1 and extracellular volume fraction measurement in asymptomatic patients with aortic stenosis: reproducibility and comparison with age-matched controls. *Eur Heart J Cardiovasc Imaging*. 2015. Epub 2015/02/15.
- Singh A, Steadman CD, Khan JN, Horsfield MA, Bekele S, Nazir SA, et al. Intertechnique agreement and interstudy reproducibility of strain and diastolic strain rate at 1.5 and 3 tesla: A

- comparison of feature-tracking and tagging in patients with aortic stenosis. *J Magn Reson Imaging*. 2015;41(4):1129-37.
- Singh A, Steadman CD, McCann GP. Advances in the understanding of the pathophysiology and management of aortic stenosis: role of novel imaging techniques. *Can J Cardiol*. 2014;30(9):994-1003.
- Sinnaeve PR, Armstrong PW, Gershlick AH, Goldstein P, Wilcox R, Lambert Y, et al. ST-segment-elevation myocardial infarction patients randomized to a pharmaco-invasive strategy or primary percutaneous coronary intervention: Strategic Reperfusion Early After Myocardial Infarction (STREAM) 1-year mortality follow-up. *Circulation*. 2014;130(14):1139-45.
- Sorelius K, Mani K, Bjorck M, Sedivy P, Wahlgren CM, Taylor P, et al. Endovascular treatment of mycotic aortic aneurysms: a European multicenter study. *Circulation*. 2014;130(24):2136-42.
- Subudhi AW, Grajzel K, Langolf RJ, Roach RC, Panerai RB, Davis JE. Cerebral autoregulation index at high altitude assessed by thigh-cuff and transfer function analysis techniques. *Exp Physiol*. 2015;100(2):173-81.
- Tomaszewski M, White C, Patel P, Masca N, Damani R, Hepworth J, et al. High rates of non-adherence to antihypertensive treatment revealed by high-performance liquid chromatography-tandem mass spectrometry (HP LC-MS/MS) urine analysis. *Heart*. 2014;100(11):855-61.
- Vavra AK, Kibbe MR, Bown MJ, Powell JT. Debate: Whether evidence supports reducing the threshold diameter to 5 cm for elective interventions in women with abdominal aortic aneurysms. *J Vasc Surg*. 2014;60(6):1695-701.
- Wang X, Arima H, Al-Shahi Salman R, Woodward M, Heeley E, Stapf C, et al. Clinical prediction algorithm (BRAIN) to determine risk of hematoma growth in acute intracerebral hemorrhage. *Stroke*. 2015;46(2):376-81.
- Wang X, Arima H, Heeley E, Delcourt C, Huang Y, Wang J, et al. Magnitude of Blood Pressure Reduction and Clinical Outcomes in Acute Intracerebral Hemorrhage: Intensive Blood Pressure Reduction in Acute Cerebral Hemorrhage Trial Study. *Hypertension*. 2015. Epub 2015/03/25.
- Welsh RC, Van de Werf F, Westerhout CM, Goldstein P, Gershlick AH, Wilcox RG, et al. Outcomes of a pharmaco-invasive strategy for successful versus failed fibrinolysis and primary percutaneous intervention in acute myocardial infarction (from the STRategic Reperfusion Early After Myocardial Infarction [STREAM] study). *Am J Cardiol*. 2014;114(6):811-9.
- Wong CM, Hawkins NM, Petrie MC, Jhund PS, Gardner RS, Ariti CA, et al. Heart failure in younger patients: the Meta-analysis Global Group in Chronic Heart Failure (MAGGIC). *Eur Heart J*. 2014;35(39):2714-21.
- Yuyun MF, Narayan HK, Ng LL. Prognostic Significance of Adrenomedullin in Patients With Heart Failure and With Myocardial Infarction. *Am J Cardiol*. 2015;115(7):986-91.